

MONUMENT RECORD
State of Indiana - County of Monroe

Section: 01


Township: 09 North

Range: 02 West

Corner ID: Rich Y-05

Monument Description & Remarks: Brass Pin in 4" Octagonal Brass Plate flush with asphalt.
Survey Sign 4ft above ground at point B

References On File: Ben E. Bledsoe recovery tie drawing, Monument Record Rich Y-05 (2004), on file in Surveyor Office
Michael E. Sheppard survey, Thomas L. & Norma L. Humphrey (2012), on file in Surveyor Office



I, Kevin P. Enright, Monroe County Surveyor, hereby certify that this document was prepared under my direction in accordance with the provisions of section 36-2-12-11 of the Indiana Code; and the above data is given under my hand and seal this 27th day of May, 2014.

Kevin P. Enright

Administered by the Monroe County Surveyor Review Board

6-10-2014




Drawn by: T.E.R. Entry date: May 21, 2014

MONUMENT RECORD

STATE OF INDIANA ~ COUNTY OF MONROE

Section 01, Township 9 North, Range 2 West,

Monument Description & Remarks: Brass Pin Found in 4" Octagonal Brass Plate
Flush in Asphalt




COMPLETED BY *Steve J. Fankler*

I, Ben E. Bledsoe, Registered Land Surveyor, here by certify that this document was prepared under my direction in accordance with the provisions of Section 17-3-64-4 through 17-3-64-8 of the Indiana Code, being Acts of 1965, Chapter 319; this 27th day of December, 2004 A.D.

Ben E. Bledsoe

Indiana Registered Land Surveyor No. S0559



MONUMENT RECORD

State of Indiana - County of Monroe

Section: 01

Township: 9North

Range: 2 West


Corner ID: Rich Y-5

Monument Description & Remarks: Found Brass Pin through 4" Octagonal Brass Plate at SE corner of section. Monument was flush with road and measured 4" x 4". (See attached field notes for sketch of monument.)

RECOVERY TIE DRAWING

Field Book 97-01 Page No. 65

USGS Bloomington Quad



A - Brass Pin in 4" Octagonal Brass Plate

B - North 71 degrees West, 51.21' from monument
PK nail in 17" Sugar Maple
Survey marker sign set 1.7' up


C - North 23 degrees East, 78.40' from monument
Chiseled "+" (4.3' up) in concrete fence post, 2' high x 14" square

D - North 73 degrees East, 63.78' from monument
PK nail in 15" Sugar Maple

E - Section corner offset lost

I, Kevin P. Enright, Monroe County Surveyor, hereby certify that this document was prepared under my direction in accordance with the provisions of Section 36-12-11 of the Indiana Code; and the above data is given under my hand and seal this 11th day of March, 1997.

Kevin Enright



Administered by

Surveyor
Review Board

Indiana R.L.S. No.



Section Corner - tied off

Rich. Y-5	Bloomington Quad.
-----------	-------------------

B/m A-5

found. - Brass pin through a
4 in octagonal plate

nonum	height	length	width
mass Cap	flush	4 in	4 in.
	wood		

station	bearing	hor. dist.	tree dbh	description
A	-	-	-	Brass cap
B	N71°W	51.21	17 in	sugar maple
C	N23°E	78.40	—	concrete post 4.3 ft high
D	N73°E	63.78	15 in	sugar maple
E	north	-	offset	corner post

Survey marker pt B - 1.7 ft height

page 65

Pt A - 9" Brass Pin March 11, 1997
 in 4" Octagonal Brass T9N R2W Sec 1 SE
 Plate Temp - 45° Sunny


Pt B - PK nail in Tree time - 10:30

Pt. C. chiseled "+" Kevin Enright ♡
in concrete fence Alon McCain.


post - 2 ft high 14" square

Pt D - PK nail in Tree

Pr E- Section corner
offset is lost



Sec. 1



Sec 12